

# Table of Contents

## Commercial Products

General Information .....	1
<b>WasteWater Products</b>	
Transfer Pumps and Parts .....	3
Water Wizard® Utility/Sump Pumps .....	3
Sump Pumps .....	4
Submersible Sump/Effluent Pumps .....	4
Big John® Sump Pumps .....	4
Eliminator® Submersible Sump/Effluent Pumps .....	6
Eliminator® Submersible High Head Effluent Pumps ..	7
Eliminator® High Temperature Effluent Pumps .....	8
Dominator® Submersible Sewage Ejector Pumps .....	9
JackPot Sewage Disposal Systems .....	10
Wastewater Packages .....	11
PitPlus™ Sewage Basin Assemblies .....	12
Sewage Basin Assemblies and Parts (Roll-Top) .....	14
Simplex Packages w/Structural Foam Polyethylene Basins	14
Simplex Packages with Molded Polyethylene Basins ..	15
Simplex Packages with Molded Fiberglass Basins .....	15
Accessories: Basins, Assemblies and Parts .....	16
Accessories: Parts .....	17
Accessories: Special Order Basins/Covers & Pipe Adaptors	18
Accessories: Switches, Alarms & Controls .....	19
Accessories: Sump, Effluent & Sewage .....	21
Magnum® Grinder Pumps & Accessories .....	23
Accessories: Control Panels, Floats & Kits .....	24
QTI Residential Sewage Grinder Package Systems ..	25
Magnum® Grinder Basin/Cover Assemblies .....	26
<b>HVAC Products</b>	
Tank-Type Condensate Removal Pumps .....	27
Electronic & In-Pan Condensate Removal Pumps .....	28
Accessories: HVAC Miscellaneous .....	29
Accessories: Other HVAC Products .....	30
Evaporative Cooler Pumps .....	31
Accessories: Cooler Pump .....	31
<b>Industrial Products</b>	
Magnetic Drive Pumps .....	32
Tube Pumps .....	35
Magnetic Drive Accessories .....	35
Machine Tool Coolant Units .....	36
Specialty Pumps .....	37
• Parts Washer Pumps	
• High Pressure Pumps	
• Open Motor	
• Double Viton® Seal Pump	
Proven™ Pumps .....	38
• Transfer Pumps	
• 12V Submersible	
• Submersible	
• Accessories	

## Consumer Products

<b>Submersible/Inline Products</b>	
Statuary Fountain Pumps .....	39
Small Submersible Pumps .....	40
<b>Water Garden Products</b>	
How-To Materials .....	41
Pond Liners .....	41
Water Garden Pumps .....	42
Waterfall & Stream Pumps .....	43
Accessories .....	44
Filtration & Replacement Filters .....	45
Fountain Nozzles & Control Valves .....	46
Threaded Adaptors & Extensions .....	46
Lighting .....	46
Water Treatments .....	47
Fish Food .....	47
Plant Baskets .....	48
Pond Ornaments .....	48
Pond Accessories .....	48
Tubing & Tubing Accessories .....	49
Water Garden Kits .....	49
Professional Series .....	50
<b>Pool Products</b>	
Swimming Pool Accessory Pumps .....	54
<b>Aquarium Pumps</b>	
Aquarium Pumps .....	54
<b>Export Products</b>	
All Products .....	55
Mexico (127 Volts 60 Hz) .....	62

# General Information

	TELEPHONE	FAX	ADDRESS
General Number	1.866.271.2862	1.405.228.1550	<p><b>MAILING ADDRESS</b> P.O. Box 12010 Oklahoma City, Oklahoma 73157-2010</p> <p><b>SHIPPING ADDRESS</b> 301 N. MacArthur Blvd. Oklahoma City, Oklahoma 73127-6616</p> <p><b>WEB SITE</b> <a href="http://www.LittleGiant.com">www.LittleGiant.com</a></p> <p><b>E-MAIL</b> <a href="mailto:customerservice@lgpc.com">customerservice@lgpc.com</a></p>
<b>COMMERCIAL</b>			
Customer Relations*	1.800.809.1393	1.800.678.7867	
Technical Support	1.800.701.7894	1.800.678.7867	
Warranty Service	1.800.809.3156	1.800.701.8046	
<b>CONSUMER</b>			
Customer Relations*	1.888.269.1567	1.888.269.8458	
Technical Support	1.888.956.0000	1.888.269.8458	
Warranty Service	1.888.572.9933	1.888.572.9960	
<b>INTERNATIONAL</b>			
Canada and Puerto Rico	1.888.394.7478	1.888.395.9462	
Mexico	1.405.947.2511	001.800.010.0735	
International	1.405.947.2511	1.405.942.2431	
<b>OTHER SERVICES</b>			
Customer Credit	1.405.947.2511	1.405.228.1560	
Literature Requests	1.405.228.1341	1.405.228.1550	
Little Giant Wearables	1.405.228.1341	1.405.228.1550	
<b>*Customer Support, Ordering Information</b>			

## GUIDELINES

**MINIMUM BILLING:** \$100 Net.

**TERMS:** 1% 10 Days, Net 30 Days.

To expedite order, use Item Number, Model Number, and Voltage.

**MASTER QUANTITY:** Items ordered out of master quantity will be subject to a 5% adder.

**FREIGHT:** All shipments which total \$1,000 or more at net cost will be shipped "F.O.B. Origin" freight prepaid.

Motor freight shipments to Alaska and Hawaii will be "F.O.B. Origin" freight prepaid to port; collect beyond. Orders for less will be shipped "F.O.B. Origin" Oklahoma City.

Air freight shipments cannot be prepaid. Freight carrier COD fees are collect.

**ROUTING:** Little Giant Pump Company reserves the right on prepaid shipments to route them via the most economical and direct carrier.

**PRICING:** Orders will be invoiced at the prices in effect at TIME OF SHIPMENT.

N/A = Not applicable and/or not available

\* = While supplies last

¥ = Will be shipped and invoiced separately. Freight will be prepaid.

§ = Available in Master Quantity only

\* = Indicates no hub hole

\*\* = Indicates one-piece cover

† = Anti-flotation collar included


\* = Mica-filled bushing

*Stenographic and clerical errors are subject to corrections.*

## Transfer Pumps and Parts

**PP Series:** Non-Submersible self-priming. Both 115V and 12V models are designed for intermittent use only with 15 min. "on" and 45 min. "off" 3/8" FNPT and 3/4" garden hose intake and discharge. PPS models include 10' sections of garden hose and a Water Eater accessory.


Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPH @ 1'	Cert	Pallet Qty	Master Qty	List Price
555100	PP-1	0 10121 55100 8	115	50/60	1/10	5.00	6'	275	UL/C-CSA	180	6	\$124.05
555150	PPS-1	0 10121 55150 3	115	50/60	1/10	8.00	6'	275	UL/C-CSA	96	4	\$139.15
555200	PP-12	0 10121 55200 5	12 DC	N/A	1/10	4.33	6'	225	N/A	180	6	\$124.05
555250	PPS-12	0 10121 55250 0	12 DC	N/A	1/10	7.25	6'	225	N/A	96	4	\$139.15
555300	PP-230	0 10121 55300 2	230	50/60	1/10	5.00	6'	275	N/A	180	6	\$142.70
155201	PPIK-1	115V Impeller Kit									2	\$19.70
155202	PPIK-12	12V DC Impeller Kit									2	\$19.30



PP-1

**Stainless Steel PP Series:** These pumps and kits utilize a stainless steel pump head for higher strength and durability.

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPH @ 1'	Cert	Pallet Qty	Master Qty	List Price
555103	PP-1S	0 10121 10711 3	115	60	1/10	4.74	6'	360	cULus	180	6	\$122.05
555153	PPS-1S	0 10121 10712 0	115	60	1/10	7.55	6'	360	cULus	96	4	\$137.15
555203	PP-12S	0 10121 10713 7	12 DC	N/A	1/10	3.42	1'	300	N/A	216	6	\$122.05
555253	PPS-12S	0 10121 10714 4	12 DC	N/A	1/10	6.23	1'	300	N/A	96	4	\$137.15
555713	PPIK-S	0 10121 10715 1	Impeller Kit, Stainless Steel Pump Head, 2 Impellers								4	\$22.00
555714	PPISK-S	0 10121 10888 2	Repair Kit w/ 2 Impellers, 1 Gasket, 1 Seal								4	\$23.00
555715	PPICK-S	0 10121 10889 9	Repair Kit w/ 2 Impellers, 1 Cam, 1 Cover, 2 Gaskets								4	\$22.00
555716	PPIVK-S	0 10121 10890 5	2 Impellers, 1 Viton Seal								4	\$25.00




SSSL

## Water Wizard® Utility/Sump Pumps

**5 Series:** 1/6 HP Submersible Sump/Utility Pump with cast aluminum housing, plastic base, bottom sump-type pick-up with removable plastic screen, pumps down to 1/8", thermal overload protection, 1" FNPT discharge with a garden hose adapter. 5-ASP features a diaphragm pressure switch with "on" level at 6" to 9" and "off" levels at 1" to 4". 5-ASP-LL features a low-level pressure diaphragm switch with "on" levels at 2" to 3" and "off" ranges at .5" to 1.5". 5-ASP-FS features an integral float switch with "on" level at 9" to 14" and "off" level at 1" to 5".

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPH @ 1'	Cert	Pallet Qty	Master Qty	List Price
505000	5-MSP	0 10121 05000 6	115	60	1/6	8.25	10'	1200	UL	96	4	\$153.30
505025	5-MSP	0 10121 05025 9	115	60	1/6	8.75	25'	1200	UL	96	4	\$160.00
505086	5-MSP	0 10121 05086 0	115	60	1/6	8.25	10'	1200	UL/CSA	96	4	\$153.30
505176	5-MSP	0 10121 05176 8	115	60	1/6	8.50	18'	1200	UL/CSA	96	4	\$158.00
505202	5-MSP	0 10121 05202 4	230	60	1/6	8.25	12'	1200	N/A	180	4	\$142.30
505486	5-MSPR	0 10121 05486 8	115	60	1/6	9.00	10'	1200	UL/CSA	96	1	\$150.30
505300	5-ASP	0 10121 05300 7	115	60	1/6	9.00	10'	1200	UL/CSA	120	4	\$174.20
505350	5-ASP-LL	0 10121 05350 2	115	60	1/6	10.00	18'	1200	UL/CSA	96	4	\$200.85
505400	5-ASP-FS	0 10121 05400 4	115	60	1/6	9.00	10'	1200	UL/CSA	80	4	\$174.20



5-MSP

## Sump Pumps

### Drainosaur® Water Removal Systems


**WRS-5:** Drainosaur® Jr. includes 5 gallon polypropylene tank and lid with 1-1/2" side intake port, 1-1/2" top discharge port and 2" FNPT top vent port, 1/6 HP automatic pump. Completely assembled and ready to be installed. IAPMO approved basin.

**WRS-6:** Drainosaur® includes 5 gallon polypropylene tank and lid with 1-1/2" side intake port, 1-1/2" top discharge port and 2" FNPT top vent port, 1/3 HP automatic pump. Completely assembled and ready to be installed. IAPMO approved basin.

**WRSC-6:** Compact Drainosaur® includes 3.5 gallon polypropylene tank and lid with 1-1/2" side intake port, 1-1/2" top discharge port and 2" FNPT top vent port, 1/3 HP automatic pump. Completely assembled and ready to be installed. IAPMO approved basin.

**WRS-8E:** Drainosaur® II includes 5 gallon tank and lid with 1-1/2" side intake port, 1-1/2" top discharge port and 2" FNPT top vent port, 1/3 HP automatic effluent pump with 3/4" solids handling capacity. Completely assembled and ready to be installed. IAPMO approved basin.

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
505055	WRS-5	0 10121 05055 6	115	60	1/6	19.00	10'	15	▶	36	1	\$291.90
506055	WRS-6	0 10121 06055 5	115	50/60	1/3	26.00	8'	45	▶	36	1	\$367.20
506056	WRS-6	0 10121 06056 2	230	50/60	1/3	27.00	8'	45	N/A	36	1	\$323.25
506065	WRSC-6	0 10121 06065 4	115	60	1/3	24.00	8'	45	▶	45	1	\$367.20
506066	WRSC-6	0 10121 06066 1	230	50/60	1/3	25.00	8'	45	N/A	45	1	\$331.50
509150	WRS-8E	0 10121 09150 4	115	60	1/3	33.00	10'	52	▶	36	1	\$407.00



WRSC-6

## Submersible Sump/Effluent Pumps

**5.5 Series:** Snappy John® 1/4 HP Submersible Sump/Effluent Pump designed to handle 3/8" solids. Zinc housing, glass-filled polypropylene base and cover, non-clog nylon impeller, thermal overload protection, 1-1/4" FNPT discharge with garden hose adapter, snap-action float switch. "On" level at 7" to 10" and "off" level at 2" to 5".

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
505700	5.5-ASP	0 10121 05700 5	115	60	1/4	10.25	10'	35	UL/CSA	96	4	\$171.85
505701	5.5-ASP	0 10121 05701 2	115	60	1/4	11.00	25'	35	UL/CSA	96	4	\$178.10




5.5-ASP

## Big John® Sump Pumps

**6 Series:** 1/3 HP Submersible Sump Pump with cast iron housing, polypropylene base, polycarbonate cover, and thermal overload protection. "CIA" models have integral diaphragm switch with "on" level at 7" to 10" and "off" level at 1" to 4". The 6-CIA-RS, has a piggy-back diaphragm switch with same "on/off" ranges. "RFS" models have piggy-back remote float switches. 1-1/2" FNPT discharge with 1-1/4" FNPT adapter. Manual versions include a garden hose adapter.

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
506125	6-CIA	0 10121 06125 5	115	50/60	1/3	18.50	25'	45	UL/CSA	96	4	\$190.15
506158	6-CIA	0 10121 06158 3	115	50/60	1/3	17.50	8'	45	UL/CSA	96	4	\$171.50
506166	6-CIA	0 10121 06166 8	230	50/60	1/3	18.50	8'	45	N/A	96	4	\$206.05
506168	6-CIA	0 10121 06168 2	115	50/60	1/3	17.50	10'	45	UL/CSA	96	4	\$170.80
506171	6-CIA-RFS	0 10121 06171 2	115	50/60	1/3	17.75	10'	45	UL/CSA	96	4	\$200.85
506268	6-CIA-VDS	0 10121 10740 3	115	50/60	1/3	18.00	10'	45	UL/CSA	48	1	\$200.00
506266	6-CIM	0 10121 06266 5	230	50/60	1/3	18.75	12'	45	N/A	96	4	\$190.15
506267	6-CIA-RS	0 10121 06267 2	115	50/60	1/3	17.50	10'	45	UL/CSA	96	4	\$200.85
506271	6-CIM-R	0 10121 06271 9	115	50/60	1/3	16.50	10'	45	UL/CSA	96	4	\$164.65
506274	6-CIM-R	0 10121 06274 0	115	50/60	1/3	18.00	25'	45	UL/CSA	96	4	\$174.20



6-CIA




N/A = Not applicable and/or not available  
▶ = UL/CSA pump

## Big John® Sump Pumps continued

**8 Series:** 4/10 HP Submersible Sump Pump with cast iron housing (8-CBA and 8-CBM have cast bronze housing), polypropylene base, polycarbonate cover, thermal overload protection. "CIA" and "CBA" models have integral diaphragm switch with "on" level at 7" to 10" and "off" level at 1" to 4". 1-1/2" FNPT discharge with a 1-1/4" FNPT adapter.

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
508057	8-CIM	0 10121 08057 7	115	50/60	4/10	18.75	10'	54	UL/CSA	96	4	\$239.10
508058	8-CIM	0 10121 08058 4	115	50/60	4/10	19.75	25'	54	UL/CSA	96	4	\$249.80
508157	8-CIA	0 10121 08157 4	115	50/60	4/10	19.00	10'	54	UL/CSA	96	4	\$276.40
508158	8-CIA	0 10121 08158 1	115	50/60	4/10	20.25	25'	54	UL/CSA	96	4	\$292.45
508059	8-CIA-VDS	0 10121 10570 6	115	50/60	4/10	20.25	10'	54	UL/CSA	48	1	\$280.00
508257	8-CBM	0 10121 08257 1	115	50/60	4/10	21.00	10'	54	UL/CSA	96	4	\$308.45
508357	8-CBA	0 10121 08357 8	115	50/60	4/10	21.25	10'	54	UL/CSA	96	4	\$340.60




8-CIM



**10 Series:** 1/2 HP Submersible Sump Pump with cast iron housing, screened intake and thermal overload protection. "CIA" models have integral diaphragm switch with "on" level at 8-1/2" to 12" and "off" level at 1-1/2" to 5". 1-1/2" FNPT discharge.

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
510055	10-CIM	0 10121 10055 8	115	60	1/2	37.00	10'	83	UL/C-CSA	36	1	\$460.95
510155	10-CIA	0 10121 10155 5	115	60	1/2	37.00	10'	83	UL/CSA	36	1	\$492.75
510156	10-CIA	0 10121 10156 2	115	60	1/2	39.00	25'	83	UL/CSA	36	1	\$508.80
510056	10-CIA-VDS	0 10121 10569 0	115	60	1/2	39.00	10'	83	UL/C-CSA	27	1	\$496.00




10-CIM



**12 Series:** 1/2 HP Submersible Sump Pump with cast bronze housing and screened intake, thermal overload protection. Automatic models have integral diaphragm switch with "on" level at 8-1/2" to 12" and "off" level at 1-1/2" to 5". 1-1/2" FNPT discharge.


Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
512055	12-CBM	0 10121 12055 6	115	60	1/2	40.00	10'	83	UL/C-CSA	36	1	\$808.25
512125	12-CBA	0 10121 12125 6	115	60	1/2	41.00	25'	83	UL/CSA	36	1	\$857.90
512155	12-CBA	0 10121 12155 3	115	60	1/2	40.00	10'	83	UL/CSA	36	1	\$841.30



12-CBM

**Tall John® Vertical Sump/Effluent Pump:** 1/3 HP Pedestal Sump Pump with 1/4" solids handling capability. 1-1/4" FNPT discharge. Automatic float switch with adjustable on/off levels.


Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
547151	VS-P2800	0 10121 47151 1	115	60	1/3	16.00	8'	46	UL/CSA	25	1	\$154.55



VS-P2800

**Sure Sump® Auxiliary Power System:** In the event of a power outage, the Sure Sump® APS-115 converts power from two 12 VDC batteries (not included) to 115 VAC to power sump, effluent and sewage pumps up to 1/2 HP and 15 amps with a service factor of .80 (12 amps) or 1440 Watts. System continually monitors and maintains power to batteries. Consists of Power Unit and battery enclosure. UL/CUL listed.


Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
513400	APS-115	0 10121 13400 3	115	60	1/2	104.00	9'	N/A	UL/CUL	6	1	\$2,201.00



APS-115

**Battery Back-up System:** Includes a 12 volt DC 1,600 GPH pump, controller/charger with LED indicator lights and audible alarm, float switch, mounting hardware, check valve, PVC discharge pipe connection tee and battery box (battery not included).

Item No	Model No	UPC	Volts	Hz	HP	Weight (lbs)	Cord Length	GPM @ 5'	Cert	Pallet Qty	Master Qty	List Price
506400	SPBS-12	0 10121 06400 3	115	60	N/A	17.50	6'	26	N/A	40	1	\$460.35




SPBS-12

## Professional Series continued

### Biological Waterfall Filter


Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566165	PRF-14K	0 10121 66165 3	Waterfall Kit, 14" Weir	15.00	1	\$257.05
566166	PRF-18K	0 10121 66166 0	Waterfall Kit, 18" weir	30.00	1	\$313.80
566167	PRF-24K	0 10121 66167 7	Waterfall Kit, 24" weir	35.00	1	\$428.40
566171	PRF-54K	0 10121 10057 2	Waterfall Kit, 54" weir	82.00	1	\$2,610.30



PRF-14K

### Hose

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566170	T-2-50-BFPVC	0 10121 66170 7	Flexible PVC, 2" x 50'	34.00	1	\$151.90
566182	T-1-1/2-25-BFPVC	0 10121 66182 0	Flexible PVC, 1-1/2" x 25'	15.00	1	\$45.35
566183	T-1-1/2-50-BFPVC	0 10121 66183 7	Flexible PVC, 1-1/2" x 50'	24.00	1	\$87.95
566184	T-2-25-BFPVFC	0 10121 66184 4	Flexible PVC, 2" x 25'	18.00	1	\$73.15
566185	T-2-100-BFPVC	0 10121 66185 1	Flexible PVC, 2" x 100'	68.00	1	\$274.05
566186	T-3-50-BFPVC	0 10121 66186 8	Flexible PVC, 3" x 50'	75.00	1	\$311.10
566187	T-3-100-BFPVC	0 10121 66187 5	Flexible PVC, 3" x 100'	143.00	1	\$607.40



### Lighting

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566281	LVLTPW	0 10121 66281 0	Low Voltage Light Kit w/Transformer	6.00	2	\$112.80
566282	LVL-PW	0 10121 66282 7	Low Voltage Light Kit	2.25	4	\$73.55



LVLTPW

### Plumbing Accessories

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566106	LB-OPWG	0 10121 66106 6	Leaf Basket	8.00	4	\$64.85
566180	PRS-DK-114-2	0 10121 66180 6	Discharge Kit 1-1/4"	4.00	2	\$38.55
566181	PRS-BDK-2	0 10121 66181 3	Bottom Drain Kit	4.00	2	\$132.60
566241	AD-112S-112S	0 10121 10471 6	1-1/2" SLIP x 1-1/2" SLIP	0.15	1	\$0.65
566242	AD-114M-112S	0 10121 10472 3	1-1/4" MNPT x 1-1/2" SLIP	0.15	1	\$1.95
566243	AD-2M-112S	0 10121 10473 0	2" MNPT x 1-1/2" SLIP	0.20	1	\$2.65
566244	AD-3M-3S	0 10121 10474 7	3" MNPT x 3" SLIP	0.60	1	\$8.50
566245	AD-2C	0 10121 10475 4	2" Adapter w/Clamps	1.00	1	\$6.00
566246	AD-3S-3S	0 10121 10476 1	3" SLIP x 3" SLIP	0.65	1	\$6.70
566247	AD-LS90-2	0 10121 10477 8	2" Long Sweep 90 degree elbows	0.45	1	\$3.60
566248	PRS-DK-112-2	0 10121 10079 4	2" Discharge Kit	3.58	1	\$55.80
566249	AD-BH-3	0 10121 10478 5	3" Bulk Head Fitting	2.00	1	\$57.60
566250	BV-112S	0 10121 10479 2	1.5" Ball Valve Slip x Slip	1.00	1	\$19.60
566251	BV-2S	0 10121 10480 8	2" Ball Valve Slip x Slip	1.40	1	\$22.75
566252	BV-112SU	0 10121 10481 5	1-1/2" Single Union Ball Valve	1.05	1	\$20.20
566253	BV-2SU	0 10121 10482 2	2" Single Union Ball Valve	1.50	1	\$28.75
566254	AD-112US	0 10121 10483 9	1-1/2" Slip Union	0.75	1	\$11.10
566255	AD-2US	0 10121 10484 6	2" Slip Union	1.25	1	\$14.90
566256	AD-2S-2S	0 10121 10485 3	2" SLIP x 2" SLIP	0.25	1	\$2.95
566257	AD-BH-2	0 10121 10486 0	2" Bulk Head Fitting	0.45	1	\$10.85
566258	AD-2M-2S	0 10121 10487 7	2" MNPT x 2" SLIP	0.50	1	\$3.05
566259	ADK-OPWG	0 10121 10078 7	Out-of-Pond Installation Kit	4.88	1	\$54.40
566260	AFV-GH	0 10121 10559 1	Auto Fill Valve with adapter	0.50	1	\$18.75

## Professional Series continued

### Liner Accessories

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566331	PL-ST	0 10121 10080 0	Double sided tape 3" x 100' Seaming Tape	10.00	1	\$116.05
566332	PL-CT	0 10121 10047 3	Cover tape 6" x 100'	20.00	1	\$451.40

### Submersible Pump Accessories

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566009	RS-5	0 10121 66009 0	Pump Cut Off Switch, 115V 18'	1.75	4	\$52.80
566011	RS-5	0 10121 66011 3	Pump Cut Off Switch, 230V 18'	1.75	4	\$46.40



RS-5

### Skimmer Accessories

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566175	PRS-3RB	0 10121 10050 3	Replacement Bellows for 566160	1.00	1	\$44.35
566176	PRS-7RB	0 10121 10051 0	Replacement Bellows for 566161	1.00	1	\$46.95
566177	PRS-3RP	0 10121 10052 7	Replacement Filter Pad for 566160	0.50	1	\$16.55
566178	PRS-7RP	0 10121 10053 4	Replacement Filter Pad for 566161	0.60	1	\$16.55
566179	PRS-3RN	0 10121 10054 1	Replacement Leaf Net for 566160	0.60	1	\$23.40
566188	PRS-7RN	0 10121 10073 2	Replacement Leaf Net for 566161	0.55	1	\$29.85
566191	PRS-7RK	0 10121 10056 5	Artificial Rock Lid for 566160 / 566161	5.00	1	\$80.00

### Waterfall Accessories

Item No	Model No	UPC	Description	Weight (lbs)	Master Qty	List Price
566192	PRF-14RP	0 10121 10058 9	Replacement filter pad for 566165	1.00	1	\$16.00
566193	PRF-18RP	0 10121 10059 6	Replacement filter pad for 566166	1.00	1	\$30.05
566194	PRF-24RP	0 10121 10060 2	Replacement filter pad for 566167	1.00	1	\$27.10
566195	PRF-18G	0 10121 10061 9	Plant/Rock support grating for 566166	1.00	1	\$28.90
566196	PRF-24G	0 10121 10062 6	Plant/Rock support grating for 566167	1.00	1	\$28.90
566197	PRF-14RK	0 10121 10063 3	Artificial rock for weir opening, 566165	4.00	1	\$80.00
566198	PRF-18RK	0 10121 10064 0	Artificial rock for weir opening, 566166	5.00	1	\$80.00
566200	PRF-24RK	0 10121 10074 9	Artificial rock for weir opening, 566167	5.00	1	\$80.00




Out-Of-Pond Pump   Leaf Basket   Oil-less Submersible Pump   Pump Cut-Off Switch   Discharge Kit   Skimmer   Bottom Drain Kit   Low-Voltage Submersible Light   Sand Base   EPDM Liner   PVC Pipe   Biological Waterfall Filter

# Pool Products

## Swimming Pool Accessory Pumps

Little Giant® swimming pool cover pumps help safeguard and protect your pool cover from prolonged accumulation of rain or melting snow. Available in manual and automatic versions, all pool cover pumps easily adapt to a standard garden hose for water removal.

Item No	Model No	UPC	Description, Volts, Hertz	HP	Cord Length	GPH @ 1'	Cert	Weight (lbs)	Master Qty	List Price	
518025	PE-1-PCP	0 10121 18025 3	115V, 60 Hz.	1/125	25'	170	UL/CSA	4.17	6	\$73.85	
500500	1-AA-18	0 10121 00500 6	115V, 60 Hz.	1/200	18'	170	UL/CSA	4.17	6	\$82.00	
574029	PCPK-1	0 10121 74029 7	115V, 60 Hz.	1/150	18'	205	N/A	6.17	6	\$91.20	
527176	NK-2	0 10121 27176 0	115V, 60 Hz.	1/40	18'	325	N/A	5.17	6	\$103.20	
574027	PCPK-N	0 10121 74027 3	115V, 60 Hz.	1/40	18'	325	N/A	7.17	6	\$112.80	
505600	5-APCP	0 10121 05600 8	115V, 60 Hz.	1/6	25'	1200	CSA	11.50	4	\$228.55	
519575	500-APCP	0 10121 19575 2	115V, 60 Hz.	N/A	25'	470	UL	6.38	4	\$150.15	
599004	DW-5	0 10121 99004 3	Boot w/PVC pipe for #5						1.00	4	\$28.35
577301	APCP-1700	0 10121 10940 7	115V, 60 Hz.	1/3	25'	1700	UL	11.10	4	\$193.00	



APCP-1700




# Aquarium Pumps

## Aquarium Pumps

Little Giant® Quarium Series magnetic drive pumps are specifically designed for saltwater and freshwater aquarium circulation and filtration application. The motors are thermally protected and the pumps are UL listed and CSA certified for aquarium applications.

Item No	Model No	UPC	Description, Volts, Hertz	HP	Cord Length	GPH @ 1'	Cert	Weight (lbs)	Master Qty	List Price
588205	1-EUAA-MD	0 10121 88205 8	115V, 60 Hz.	1/200	6'	150	UL/CSA	3.00	6	\$93.95
588211	1-EUAA-MD	0 10121 88211 9	230, 50/60 Hz.	1/200	12'	150	N/A	3.50	6	\$108.10
589200	1.5-MDQ-SC	0 10121 89200 2	115V, 60 Hz.	1/30	6'	325	UL/CSA	4.50	4	\$126.50
519310	PESQ-300	0 10121 19310 9	115V, 60 Hz.	N/A	6'	325	UL/CSA	4.00	4	\$89.65
519510	PESQ-500	0 10121 19510 3	115V, 60 Hz.	N/A	6'	500	UL/CSA	4.00	4	\$119.55
580506	2-MDQ-SC	0 10121 80506 4	115V, 60 Hz.	1/30	6'	510	UL/CSA	6.50	4	\$160.55
580507	2-MDQX-SC	0 10121 80507 1	115V, 60 Hz.	1/30	6'	770	UL/CSA	6.50	4	\$164.10
581506	3-MDQ-SC	0 10121 81506 3	115V, 60 Hz.	1/15	6'	700	UL/CSA	9.25	4	\$219.40
581507	3-MDQX-SC	0 10121 81507 0	115V, 60 Hz.	1/15	6'	1100	UL/CSA	9.25	4	\$222.05
582506	4-MDQ-SC	0 10121 82506 2	115V, 60 Hz.	1/10	6'	850	UL/CSA	10.25	4	\$242.65
582507	4-MDQX-SC	0 10121 82507 9	115V, 60 Hz.	1/10	6'	1325	UL/CSA	10.50	4	\$245.50
585514	TE-5.5-MDQ-SC	0 10121 85514 4	115/230, 50/60 Hz.	1/2	N/A	2150@5'	UL/CSA	35.00	1	\$548.45




3-MDQX-SC



## Transfer Pumps

**PP Series:** Non-Submersible self-priming. Both 230V and 12V models are designed for intermittent use only with 15 min. "on" and 45 min. "off", 3/8" FNPT and 3/4" garden hose intake and discharge. PPS models include 3m sections of garden hose and a water eater accessory.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
555200	PP-12	0 10121 55200 5	12 DC	N/A	1/10	2.0	2.0	14	N/A	180	6	\$124.05
555250	PPS-12	0 10121 55250 0	12 DC	N/A	1/10	3.3	2.0	17	N/A	96	4	\$139.15
555300	PP-230	0 10121 55300 2	230	50/60	1/10	2.3	2.0	17	N/A	180	6	\$142.70




PP-12

## Water Removal Systems

**WRS-6:** Includes 19 liter tank and lid with 1-1/2" side intake port, 1-1/2" top discharge port, 2" FNPT top vent port and 1/3 HP automatic pump. WRSC tank is 13 liter capacity. Both are complete assembled and ready to be installed.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
506056	WRS-6	010121 06056 2	230	50/60	1/3	12.3	2.4	200	N/A	36	1	\$323.25
506066	WRSC-6	0 10121 06066 1	230	50/60	1/3	11.4	2.4	200	N/A	45	1	\$331.50




WRS-6

## Sump Pumps

1/3 HP submersible sump pump with cast iron housing, polypropylene base, polycarbonate cover, and thermal overload protection. 6-CIM includes a garden hose adapter. 6-CIA has integral diaphragm switch with "on" level at 178 mm to 254 mm and "off" level at 25 mm to 102 mm.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
506166	6-CIA	0 10121 06166 8	230	50/60	1/3	8.4	2.4	200	N/A	96	4	\$206.05
506266	6-CIM	0 10121 06266 5	230	50/60	1/3	8.4	3.6	200	N/A	96	4	\$190.15




6-CIA

## Utility Pumps

1/6 HP submersible sump/utility pump with cast aluminum housing, plastic base, bottom sump-type pickup with removable plastic screen. Pumps down to 4 mm. Has thermal overload protection, 1" FNPT discharge with a garden hose adapter. 5-ASP-FS features an integral float switch with "on" level at 228 mm to 355 mm and "off" level at 25 mm to 127 mm.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
505200	5-MSP	0 10121 05200 0	230	50	1/6	3.7	3.6	70	N/A	180	4	\$142.30
505360	5-MSPR	0 10121 05360 1	230	50	1/6	4.0	3.6	70	N/A	128	4	\$139.50
505237	5-ASP-FS	0 10121 05237 6	230	50	1/6	5.2	10.0	70	CE/TUV-GS	80	4	\$297.10




5-MSP

## Submersible Sump/Effluent Pumps

**5.5-ASP:** 1/4 HP submersible sump/effluent pump designed to handle 10 mm solids. Zinc housing, glass-filled polypropylene base and cover, non-clog nylon impeller, thermal overload protection, 1-1/4" FNPT discharge with garden hose adapter, snap-action float switch. "On" level at 178 mm to 254 mm, and "off" level at 51 mm to 127 mm.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
505720	5.5-ASP	0 10121 05720 3	230	50	1/4	4.7	3.6	126	N/A	96	4	\$187.15




5.5-ASP

## Submersible Sump/Effluent Pumps continued

**6E-Series:** 1/3 HP submersible sump/effluent pump designed to handle 13 mm solids. Cast iron housing, thermoplastic base, cover and impeller, thermal overload protection, 1-1/2" FNPT discharge. 6E-CIA-FS features float switch with "on" level of 279 mm to 356 mm, and "off" level of 76 mm to 152 mm.


Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
506730	6E-CIM	0 10121 06730 1	230	50/60	1/3	12.3	4.6	216	UL/CSA	48	2	\$216.65
506735	6E-CIM	0 10121 06735 6	230	50/60	1/3	12.5	7.6	216	CSA	48	2	\$227.25
506739	6E-CIM	0 10121 06739 4	230	50	1/3	14.1	10.0	216	CE/TUV-GS	48	2	\$288.35
506720	6E-CIA-SFS	0 10121 06720 2	230	50/60	1/3	12.7	4.6	216	UL/CSA	48	2	\$243.25
506741	6E-CIA-FS	0 10121 06741 7	230	50	1/3	13.9	10.0	216	CE	48	2	\$359.90



6E-CIA-SFS

**8E-CIM:** 1/3 HP submersible effluent pump designed to handle 19 mm solids. Cast iron housing, glass filled nylon cover, ABS base, vortex nylon impeller, thermal overload protection, 1-1/2" BSPT discharge.


Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
509060	8E-CIM	0 10121 09060 6	230	50	1/3	11.4	4.6	233	N/A	48	1	\$272.55



8E-CIM

**10E-CIM:** 1/2 HP submersible effluent pump designed to handle 19 mm solids. Cast iron housing, glass filled nylon electrical cover, ABS base, vortex nylon impeller, thermal overload protection, permanent split capacitor motor, 1-1/2" FNPT discharge.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
511239	10E-CIM	0 10121 11239 1	230	50	1/2	15.9	10.0	266	CE	48	1	\$534.90
511275	10E-CIM	0 10121 11275 9	208/240	50/60	1/2	16.3	4.6	266	UL/CSA	48	1	\$455.00




10E-CIM

**16EH-CIM:** 1 HP submersible high head effluent pump designed to handle 19 mm solids. Heavy-duty cast iron housing, volute and vortex impeller, thermal overload protection, 2" FNPT discharge.

\*\*\*3 Phase pump must have a 3 phase control panel for automatic or manual operation.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
514540	16EH-CIM	0 10121 14540 5	460/380	60/50	1; 3 Phase	37.2	4.6	340	UL/CSA	20	1	\$965.00




16EH-CIM

## Submersible Sewage Ejector Pumps

**10S-CIM:** 1/2 HP submersible sewage ejector pump designed to handle 51 mm solids. Heavy duty cast iron housing and volute, vortex nylon impeller, thermal overload protection, 2" FNPT discharge.


Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
511475	10S-CIM	0 10121 11475 3	208/240	50/60	1/2	19.5	4.6	433	UL/CSA	36	1	\$471.55
511480	10SH-CIM	0 10121 11480 7	208/240	50/60	1/2	18.8	4.6	360	UL/CSA	36	1	\$476.45
511489	10SH-CIM	0 10121 11489 0	230	50	1/2	18.8	10.0	360	CE	36	1	\$515.40
511565	10S-CIA-SFS	0 10121 11565 1	230	50/60	1/2	21.3	7.6	433	UL/CSA	27	1	\$556.50



10S-CIM

**16S-CIM:** 1/2 HP submersible sewage ejector pump designed to handle 51 mm solids. Heavy duty cast iron housing and volute, vortex nylon impeller, thermal overload protection, 2" FNPT discharge.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
514730	16S-CIM	0 10121 14730 0	460/380	60/50	1;3 Phase	40.8	4.6	606	UL/CSA	20	1	\$986.15



16S-CIM


## Condensate Removal Pumps

**VCC Series:** .83 litre ABS tank, stainless steel shaft, 3/8" OD barbed discharge, check valve and thermal overload protection.


**VCL Series:** 3.8 liters ABS tank, stainless steel shaft, 3/8" OD copper tube discharge, check valve on VCL-24S and thermal overload protection.

**VCMA Series:** 1.9 litres ABS tank, stainless steel shaft, 3/8" OD barbed discharge, check valve and thermal overload protection.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
554138	VCC-20S	0 10121 54138 2	230	50	1/30	2.4	1.8	4.9	CE/TUV	120	5	\$99.70
554155	VCC-20ST	0 10121 54155 9	230	50	1/30	3.1	1.8	4.9	CE/TUV	72	4	\$104.70
554210	VCC-20ULS	0 10121 54210 5	230	50/60	1/30	2.5	1.8	4.9	UL	120	5	\$96.80
554471	VCMA-20S	0 10121 54471 0	230	50	1/30	2.4	1.8	4.9	CE/TUV	120	5	\$83.50
554473	VCMA-20S CEE	0 10121 54473 4	230	50	1/30	2.4	3.0	4.9	CE/TUV	120	5	\$83.50
554472	VCMA-20ST	0 10121 54472 7	230	50	1/30	2.8	1.8	4.9	CE/TUV	96	4	\$85.70
554451	VCMA-20UL	0 10121 54451 2	230	50/60	1/30	2.4	1.8	4.9	UL/CSA	120	5	\$72.00
554455	VCMA-20ULS	0 10121 54455 0	230	50/60	1/30	2.4	1.8	4.9	UL/CSA	120	5	\$77.00
554461	VCMA-20ULST	0 10121 54461 1	230	50/60	1/30	2.8	1.8	4.9	UL/CSA	96	4	\$82.00
553137	VCL-24S	0 10121 53137 6	230	50	1/15	3.9	1.8	15	CE/TUV	75	5	\$153.70
553211	VCL-24ULS	0 10121 53211 3	230	50/60	1/18	3.9	1.8	15	UL/CSA	75	5	\$140.25
553138	VCL-45S	0 10121 53138 3	230	50	1/4	6.4	1.8	26	CE/TUV	75	1	\$331.30
553245	VCL-45ULS	0 10121 53245 8	230	50/60	1/5	6.4	1.8	26	UL/CSA	75	1	\$331.40




VCMA-20ULST



VCL-24UL

**34C-SPT:** Sealed pump motor model has one gallon tank with "on" level at 114 mm and "off" level at .89 mm, 1/2" MNPT discharge with check valve for 1/2" OD rigid plastic or copper tubing. Flow rate is with check valve installed.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
550525	1-ABS	0 10121 50525 4	230	50/60	1/150	2.2	1.8	17	N/A	240	6	\$107.75
551025	2EC-SPT	0 10121 51025 8	230	50/60	1/40	2.8	1.8	18	N/A	256	4	\$141.70
551311	34C-SPT	0 10121 51311 2	230	50/60	1/12	5.0	1.8	34	N/A	90	2	\$240.30
551377	34C-SPT	0 10121 51377 8	230	50	1/12	5.2	1.8	34	N/A	90	2	\$259.15




34C-SPT

**NOTE:** Any product containing mercury must be recycled or disposed of according to local, state and federal codes.

**EC Series:** A complete pumping system designed to remove condensate from most wall mounted, ceiling and fan coil split system air conditioning equipment up to 10kW when gravity drainage is not possible. For intermittent operation – maximum 50% duty cycle. Typical pump flow rate is 2 GPH at 2' head. Condensate produced in the application must be no more than half the pump's flow rate for any given head. Fully automatic – start, stop and overflow detection. Compact design offers flexible installation.


Item No	Model No	UPC	Volts	Hz	Weight (Kg)	Cert	Pallet Qty	Master Qty	List Price
553450	EC-400	0 10121 53450 6	230	50/60	0.45	CE/TUV	720	6	\$117.60
553458	EC-400	0 10121 10985 5	230	50	0.45	CE/TUV	720	6	\$117.60



EC-400

**PC Series:** Designed to quietly, efficiently and automatically remove condensate water from air conditioners and refrigeration equipment.

Item No	Model No	UPC	Volts	Hz	HP	Weight (Kg)	Cord Length (m)	LPM	Cert	Pallet Qty	Master Qty	List Price
553670	PCS-10	0 10121 10830 1	230	50/60	N/A	1.0	2	10	CV/TUV	N/A	8	\$200.45
553671	PCT-10	0 10121 10831 8	230	50/60	N/A	1.0	2	10	CV/TUV	N/A	8	\$221.85
553672	PCR-10	0 10121 10832 5	230	50/60	N/A	1.0	2	10	CV/TUV	N/A	8	\$225.45
553673	PCR-10 S	0 10121 10833 2	230	50/60	N/A	1.0	2	10	CV/TUV	N/A	8	\$249.95



PCS-10